


# South Sudan

Total population: 9 941 000 ► Population aged 15 years and older (15+): 57% ► Population in urban areas: — ► Income group (World Bank): —


## ALCOHOL CONSUMPTION: LEVELS AND PATTERNS

### Recorded alcohol per capita (15+) consumption, 1961–2010

Data refer to litres of pure alcohol per capita (15+).



### Recorded alcohol per capita (15+) consumption (in litres of pure alcohol) by type of alcoholic beverage, 2010



### Alcohol per capita (15+) consumption (in litres of pure alcohol)

	Average 2003–2005	Average 2008–2010	Change
Recorded	—	—	—
Unrecorded	—	—	—
<b>Total</b>	—	—	—
Total males / females		— / —	
WHO Eastern Mediterranean Region total	—	—	

### Total alcohol per capita (15+) consumption, drinkers only (in litres of pure alcohol), 2010

Males (15+)	—
Females (15+)	—
Both sexes (15+)	—

### Prevalence of heavy episodic drinking\* (%), 2010

	Population	Drinkers only
Males (15+)	—	—
Females (15+)	—	—
Both sexes (15+)	—	—

\*Consumed at least 60 grams or more of pure alcohol on at least one occasion in the past 30 days.

### Abstainers (%), 2010

	Males	Females	Both sexes
Lifetime abstainers (15+)	—	—	—
Former drinkers* (15+)	—	—	—
Abstainers (15+), past 12 months	—	—	—

\*Persons who used to drink alcoholic beverages but have not done so in the past 12 months.

### Patterns of drinking score, 2010

LEAST RISKY No information available MOST RISKY

## HEALTH CONSEQUENCES: MORTALITY AND MORBIDITY

### Age-standardized death rates (ASDR) and alcohol-attributable fractions (AAF), 2012

	ASDR*		AAF (%)	
	—	—	—	—
Liver cirrhosis, males / females	45.3	29.3	—	—
Road traffic accidents, males / females	35.8	15.9	—	—

\*Per 100 000 population (15+).

### Prevalence of alcohol use disorders and alcohol dependence (%), 2010\*

	Alcohol use disorders**	Alcohol dependence
Males	—	—
Females	—	—
Both sexes	—	—
WHO Eastern Mediterranean Region	—	—

\*12-month prevalence estimates (15+).

\*\*Including alcohol dependence and harmful use of alcohol.

### Years of life lost (YLL) score\*, 2012

LEAST No information available MOST

\*Based on alcohol-attributable years of life lost.

## POLICIES AND INTERVENTIONS

Written national policy (adopted/revised) / National action plan	— / —
Excise tax on beer / wine / spirits	— / — / —
National legal minimum age for off-premise sales of alcoholic beverages (beer / wine / spirits)	— / — / —
National legal minimum age for on-premise sales of alcoholic beverages (beer / wine / spirits)	— / — / —
Restrictions for on-/off-premise sales of alcoholic beverages: Hours, days / places, density	— / —
Specific events / intoxicated persons / petrol stations	— / — / —

National maximum legal blood alcohol concentration (BAC) when driving a vehicle (general / young / professional), in %	— / — / —
Legally binding regulations on alcohol advertising / product placement	— / —
Legally binding regulations on alcohol sponsorship / sales promotion	— / —
Legally required health warning labels on alcohol advertisements / containers	— / —
National government support for community action	—
National monitoring system(s)	—